118 Birchard Avenue Fremont, Ohio 43420 www.christymachine.com



Dispense Convey @christy machine.co

Phone: 1419-332-6451 Toll Free: 888-332-6451 Fax: 419-332-8800

	Request/Order Form: Depositors
Contact Details:	
Name:	
Position:	
Phone:	
Email:	
Address:	
-	
Sample & technical inform	ation is required prior to machine manufacture.
-	pove address a 5-gallon bucket of product for lab testing purposes.
If your sample is moisture-	heavy, it is advised to send a larger quantity as these types tend to break down or
change consistency during	testing
Outline design process – A	<u> </u>
	ed Depositor Questionnaire
- Samples received	
- Test performed	
- Video Product review	
- Machine Design	
- Customer approval/qu	otation sent
- Quotation approval	
- Progress payment #1 ((50%)
- Machine Production	
- Progress Payment #2	(40%)
- Machine Shipped	20,707
- Final Invoice Net 30 I	Days (10%)
T VIVIII TIVO O CC T (CV 50 E	- wyo (1070)
We will forward a video for	r your review upon completion.
Depositor Requirement	<u>:s:</u>
	e Deposited:
IF MULTIPLE ingredients, please complete an individual questionnaire per ingredient/material.	
D (7.1	
Process/Line Description	1:

Application Type:
Direct-to-Belt () Belt Type:
Direct-to-Product () Product Description:
Pans/Container () Pan/Container Dimensions – Complete attached Drawing BELOW
Line/System Details:
Conveyor/Line Speed (in Feet Per Minute):
Total Width of Deposit (<u>NOT</u> Conveyor width):
Rate of Deposit:
- Per Product/Pan: () Weight: - Per Hour () Minute () Weight: - Other:
Lanes/Rows: Y() N() Please provide product layout dimension details if possible
- Width of Lane/Row:
- Lane/Row Spacing (Centers):
Stop/Start Required: Y() N () Number of Stop/Starts per minute:
Start/Stop Activator Type: Laser () Proximity Sensor () Photo Eye ()
Depositor Level Sensor: ()
Power Requirements:
115V () 230V () 460V () Other: Single Phase () 3 Phase ()
Depositor Mounting Options: Static () Mobile () Adjustable Height () Standard and custom options available.

Approval drawing will be sent for approval prior to manufacture

All tests and demonstrations are representative. Christy Machine attempts to represent real world conditions in our test lab, however every machine will require fine tuning upon installation to achieve desired results. If conditions or ingredients present in customer's facility differ greatly from those present during testing, Christy Machine cannot guaranty desired function will be achieved without additional modifications.